

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 14/09/2020 Date of issue: 09/07/2014

Version: 4.0

# SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

#### 1.1. Product Identifier

Product form Mixture
Product Name MED2-161

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

#### 1.2.2. Uses Advised Against

No additional information available

#### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe 1198 Avenue Maurice Donat

Le Natura Bt. 2 06250 Mougins

France

+33 4 92 96 93 31

ehs@nusil.com

www.nusil.com

#### 1.4. Emergency Telephone Number

Emergency Number: +1 703-527-3887 CHEMTREC (International and Maritime), 800-424-9300

CHEMTREC (in US) +(44)-870-8200418 +(353)-19014670

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the Substance or Mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements: see section 16

#### 2.2. Label Elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)









GH

GHS09

Signal Word (CLP)

Danger

Hazardous Ingredients Hydroc

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics; 1-Butanol,

titanium(4+) salt

Hazard Statements (CLP) H225 - Highly flammable liquid and vapour.

14/09/2020 EN (English) 1/11

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

#### Precautionary Statements (CLP)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P261 - Avoid breathing mist, spray, vapours.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P321 - Specific treatment (see Section 4 on this SDS).

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish

P391 - Collect spillage.

P403+P233+P235 - Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

14/09/2020 EN (English) 2/11

### **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	(CAS-No.) Not available (REACH Registration No.) 01-2119473851-33 (EC-No.) 920-750-0	70 - 90	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
1-Butanol, titanium(4+) salt	(CAS-No.) 5593-70-4 (EC-No.) 227-006-8	< 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
Silicic acid (H4SiO4), tetrakis(2- methoxyethyl) ester	(CAS-No.) 2157-45-1 (EC-No.) 218-470-2	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H-statements: see section 16

#### **SECTION 4: First Aid Measures**

#### 4.1. Description of First-aid Measures

T. 1. Description of filst-dia	Medsoles
First-Aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-Aid Measures After Skin Contact	Obtain medical attention if irritation develops or persists. Immediately remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes.
First-Aid Measures After Eye Contact	Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-Aid Measures After	Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Ingestion	POISON CENTER or doctor/physician.
4.2. Most Important Symptom	ns and Effects Both Acute and Delayed
Symptoms/Effects	May cause drowsiness and dizziness. Causes skin irritation.
	Causes serious eye damage. May be fatal if swallowed and
	enters airways.
Symptoms/Effects After	High concentrations may cause central nervous system
Inhalation	depression such as dizziness, vomiting, numbness, drowsiness,
	headache, and similar narcotic symptoms.
Symptoms/Effects After Skin	Redness, pain, swelling, itching, burning, dryness, and
Contact	dermatitis.

14/09/2020 EN (English) 3/11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/Effects After Eye

Contact

Ingestion

Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Effects After Aspiration into the lungs can occur during ingestion or vomiting

and may cause lung injury.

Chronic Symptoms None expected under normal conditions of use.

**4.3.** Indication of Any Immediate Medical Attention and Special Treatment Needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

#### **SECTION 5: Firefighting Measures**

5.1. Extinguishing Media

Suitable Extinguishing Media Dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO<sub>2</sub>). Water may be ineffective but water should be used to

keep fire-exposed container cool.

Unsuitable Extinguishing Media Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Highly flammable liquid and vapour.

Explosion Hazard May form flammable or explosive vapour-air mixture.

Reactivity Reacts violently with strong oxidisers. Increased risk of fire or

explosion.

Hazardous Decomposition Products in Case of Fire

Carbon oxides. Hydrocarbons. Silicon oxides.

5.3. Advice for Firefighters

Precautionary Measures Fire Firefighting Instructions

Exercise caution when fighting any chemical fire.

Use water spray or fog for cooling exposed containers. In case

of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Keep away from

heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric

charges. Do not breathe vapour, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE). Emergency Procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Eliminate ignition sources.

14/09/2020 EN (English) 4/11

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

#### 6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams. As an immediate

precautionary measure, isolate spill or leak area in all directions.

Methods For Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-

sparking tools.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

#### **SECTION 7: Handling And Storage**

#### 7.1. Precautions for Safe Handling

Additional Hazards When Handle empty containers with care because residual vapours

Processed are flammable.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid breathing vapours, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools.

Do not get in eyes, on skin, or on clothing.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations. Take action to prevent

static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and

lighting equipment.

Storage Conditions Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in a well-ventilated place. Keep container tightly closed. Keep in

fireproof place.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

#### 7.3. Specific End Use(S)

Improves the adhesion of addition cured systems to various substrates. For professional use only.

#### **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control Parameters

No additional information available

14/09/2020 EN (English) 5/11

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be

Controls available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas.
Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing

Chemically resistant materials and fabrics. Wear fire/flame

resistant/retardant clothing.

Hand Protection Wear protective gloves. Eye Protection Chemical safety goggles.

Skin and Body Protection Wear suitable protective clothing.
Respiratory Protection If exposure limits are exceeded or

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

#### **SECTION 9: Physical and Chemical Hazards**

#### 9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid

Colour Colourles to yellow

Odour Solvent

Odour Threshold

pH

No data available

No data available

Evaporation Rate

Melting Point

No data available

Auto-Ignition Temperature

Decomposition Temperature

Flammability (Solid, Gas)

Vapour Pressure

Relative Vapour Density At 20 °C

No data available

No data available

No data available

Relative Density < 1 (water=1)

Solubility
Partition Coefficient n-Octanol/Water
Viscosity, Kinematic
Viscosity, Dynamic
No data available
No data available
No data available

14/09/2020 EN (English) 6/11

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive Properties Product is not explosive, however, formation of

explosive air-vapour mixture is possible.

Oxidising Properties

No data available
Explosive Limits

No data available

9.2. Other Information

VOC content 70 - 90 %

#### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

#### 10.2. Chemical Stability

Extremely flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

#### 10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

#### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous Decomposition Products

None expected under normal conditions of use.

#### **SECTION 11: Toxicological Information**

#### 11.1. Information On Toxicological Effects

Acute Toxicity

Not classified (Based on available data, the classification criteria are not met)

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics (REACH Registration No.) 01-2119473851-33		
LD50 Oral Rat > 5000 mg/kg		
LD50 Dermal Rabbit 3000 mg/kg		
1-Butanol, titanium(4+) salt (5593-70-4)		
LD50 Oral Rat > 2000 mg/kg		
LD50 Oral 3122 mg/kg		
Skin Corrosion/Irritation	Causes skin irritation.	

Eye Damage/Irritation Causes serious eye damage.

Respiratory or Skin Sensitization Not classified (Based on available data, the classification

criteria are not met)

Germ Cell Mutagenicity Not classified (Based on available data, the classification

criteria are not met)

Carcinogenicity Not classified (Based on available data, the classification

criteria are not met)

Reproductive Toxicity Not classified (Based on available data, the classification

criteria are not met)

Specific Target Organ Toxicity

(Single Exposure)

May cause drowsiness or dizziness.

Specific Target Organ Toxicity (Repeated Not classified (Based on available data, the Exposure) Classification criteria are not met)

14/09/2020 EN (English) 7/11

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aspiration Hazard May be fatal if swallowed and enters airways.

#### **SECTION 12: Ecological Information**

#### 12.1. Toxicity

Ecology - General Toxic to aquatic life with long lasting effects.

1-Butanol, titanium(4+) salt (5593-70-4)		
EC50 Daphnia 1	680 mg/l	

#### 12.2. Persistence and Degradability

MED2-161	
Persistence and Degradability	May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative Potential

MED2-161	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in Soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

12.01 1.000110 01 1 21 4114 11 12 4000001110111	
MED2-161	
PBT: not yet assessed	
vPvB: not yet assessed	

#### 12.6. Other Adverse Effects

Other Information Avoid release to the environment.

#### **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapours

are flammable.

Ecology - Waste Materials Avoid release to the environment. This material is hazardous to

the aquatic environment. Keep out of sewers and waterways.

#### **SECTION 14: Transport Information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

in decordance with Abit / Kib / Kib O / Kit / Abit				
ADR	IMDG	IATA	ADN	RID
14.1. UN Numbe	r			
1268	1268	1268	1268	1268
14.2. UN Proper S	Shipping Name			
PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM	PETROLEUM
DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,	DISTILLATES,
N.O.S.	N.O.S.	N.O.S.	N.O.S.	N.O.S.
14.3. Transport Hazard Class(Es)				
3	3	3	3	3

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
3				3
14.4. Packing Gr	oup			
II				II
14.5. Environmer	ntal Hazards			
Dangerous for	Dangerous for	Dangerous for	Dangerous for	Dangerous for
the environment:	the environment:	the environment:	the environment:	the environment:
Yes	Yes	Yes	Yes	Yes
	Marine pollutant :			
	Yes			

#### 14.6. Special Precautions For User

No additional information available

#### 14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

#### **SECTION 15: Regulatory Information**

# 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. National Regulations

No additional information available

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other Information**

#### **Indication of Changes**

Section	Section Header	Change	Date Changed
1	1. Identification of the	Modified	14/09/2020
	substance/mixture and of		
	the company/undertaking		

Date of Preparation or Latest 14/09/2020

Revision

Data Sources Information and data obtained and used in the authoring of

this safety data sheet could come from database subscriptions,

official government regulatory body websites,

product/ingredient manufacturer or supplier specific

information, and/or resources that include substance specific data and classifications according to GHS or their subsequent

adoption of GHS.

Other Information According to Regulation (EC) No. 1907/2006 (REACH) with its

amendment Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

#### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD - Biochemical Oxygen Demand CAS No. - Chemical Abstracts Service Number

CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD - Chemical Oxygen Demand EC - European Community

EC50 - Median Effective Concentration

EEC – European Economic Community
EINECS – European Inventory of Existing Commercial Chemical Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate GHS – Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-

phase system consisting of two largely immiscible solvents, in this case octanol and

MAK - Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis

NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act

TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL - Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



# Silicone Sales & Services UK - Ireland - Benelux

© 2022 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

