Product form	Mixture
Product Name	CV-1143
1.2. Relevant identified uses a	of the substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	For professional use only.
Use of the substance/mixture	Bonding or sealing applications that require low outgassing and minimal volatility.
1.2.2. Uses advised against	
No additional information availab	le
1.3. Details of the supplier of the	safety data sheet
NuSil Technology LLC	
1050 Cindy Lane	
Carpinteria, California 93013	
USA (805) 484 8780	
(805) 684-8780 <u>ehs@nusil.com</u>	
www.nusil.com	
1.4. Emergency telephone num	ber
• / ·	0 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and
number Maritime)	
SECTION 2: Hazards ident	ification
2.1. Classification of the subst	
Classification according to Regula	ation (EC) No. 1272/2008 [CLP]
Eye Irrit. 2 H319 Skin Sens. 1 H317	
STOT RE 2 H373	
JIOTINEZ HU/J	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

26/06/2014

## 1.1. Product identifier

. . .

## Safety Data Sheet

**CV-1143** 

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue:

Full text of hazard classes and H-statements : see section 16

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

2.2. Label elements

Hazard pictograms (CLP)

Adverse physicochemical, human health and environmental effects

Revision date: 19/02/2018



Version: 2.0

Precautionary statements (CLP)	P260 - Do not breathe vapors, mist, or spray	
	H373 - May cause damage to organs through prolonged or repeated exposure	
	H319 - Causes serious eye irritation	
Hazard statements (CLP)	H317 - May cause an allergic skin reaction	
	(Trimethyoxysilyl)propyl]-1,2-ethanediamine, Dibutyltin dilaurate	
Hazardous ingredients	2-Butanone, O,O',O''-(methylsilylidyne)trioxime, N-[3-	
Signal word (CLP)	Warning	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves, protective clothing, and eye protection P302+P352 - IF ON SKIN: Wash with plenty of water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P314 - Get medical advice/attention if you feel unwell P321 - Specific treatment (see section 4 on this SDS) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations

#### 2.3. Other Hazards

No data available.

## SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Butanone, O,O',O''- (methylsilylidyne)trioxime	(CAS No) 22984-54-9 (EC no) 245-366-4	10 - 20	Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373
N-[3-(Trimethyoxysilyl)propyl]-1,2- ethanediamine	(CAS No) 1760-24-3 (EC no) 217-164-6	< 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317
Dibutyltin dilaurate	(CAS No) 77-58-7 (EC no) 201-039-8	<0.3	Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.		
First-aid measures after skin	Remove contaminated clothing. Drench affected area with water		
contact	for at least 15 minutes. Obtain medical attention if irritation develops or persists.		
First-aid measures after eye	Rinse cautiously with water for at least 15 minutes. Remove contact		
contact	lenses, if present and easy to do. Continue rinsing. Obtain medical attention.		
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/injuries	Causes serious eye irritation. Skin sensitisation. May cause damage to organs through prolonged or repeated exposure.		
Symptoms/injuries after inhalation	Prolonged exposure may cause irritation.		
Symptoms/injuries after skin contact	May cause an allergic skin reaction.		
Symptoms/injuries after eye contact	Contact causes severe irritation with redness and swelling of the conjunctiva.		
Symptoms/injuries after ingestion	Ingestion may cause adverse effects.		
Chronic symptoms	May cause damage to organs through prolonged or repeated exposure.		
1.2 Indication of any immedia	to modical attention and special treatment needed		

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

J.I. LANNYUSINNY MEUN	
Suitable extinguishing media	Water spray, dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising fro	om the substance or mixture
Fire hazard	This product contains polydimethylsiloxane which can generate formaldehyde as a byproduct of oxidative thermal decomposition at temperatures greater than 150°C (300°F).
Explosion hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions Protection during firefighting	Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing. Avoid all contact with skin, eyes, or clothing.	
6.1.1.For non-emergency person	nel	
Protective equipment	Use appropriate personal protection equipment (PPE).	
Emergency procedures	Evacuate unnecessary personnel.	
6.1.2.For emergency responders		
Protective equipment	Equip cleanup crew with proper protection.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures	Ventilate area. Upon arrival at the scene, a first responder is
	expected to recognize the presence of dangerous goods, protect
	oneself and the public, secure the area, and call for the assistance
	of trained personnel as soon as conditions permit.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	Contain any spills with dikes or absorbents to prevent migration and
	entry into sewers or streams.
Methods for cleaning up	Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing.		
Hygiene measures	Handle in accordance with good industrial hygiene and safety procedures.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	Comply with applicable regulations.		
Storage conditions	<ul> <li>Keep container closed when not in use. Store in a dry, cool place.</li> <li>Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.</li> </ul>		
Incompatible products Incompatible materials <b>7.3. Specific end use(s)</b>	Strong acids, strong bases, strong oxidizers. Sources of ignition. Direct sunlight.		

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles.



Chemically resistant materials and fabrics.

- Wear protective gloves.
- Chemical safety goggles.
- Wear suitable protective clothing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection	If exposure limits are exceeded or irritation is experienced, approved
	respiratory protection should be worn. In case of inadequate
	ventilation, oxygen deficient atmosphere, or where exposure levels
	are not known wear approved respiratory protection.
Other information	When using, do not eat, drink or smoke.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Off-white
Odour	: Oxime
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >135 °C (> 275 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative Density	: >1
Solubility	: Insoluble in water
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2 Other information	

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous decomposition products

Burning can produce carbon monoxide, carbon dioxide, oxides of silicon, oxides of nitrogen, MEKO, and miscellaneous hydrocarbons. Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Traces of formaldehyde may be generated due to oxidative thermal decomposition at temperatures greater than 150°C (300°F). Exposure to formaldehyde can cause adverse

effects such as skin and respiratory sensitization and eye and throat irritation. Formaldehyde is a potential carcinogen. Evaluate and control exposure to formaldehyde when warranted by conditions of use.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity

city Not classified

2-Butanone, O,O',O''-(methylsilylidyne)trioxime (22984-54-9)			
LD50 oral rat	2463 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)			
LD50 oral rat	2295 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1,49 mg/l/4h		
Dibutyltin dilaurate (77-58-7)			
LD50 oral	175 mg/kg		
LD50 dermal rat	> 2 g/kg		
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity (single Specific target organ toxicity (reper exposure)			
Aspiration hazard Potential adverse human health effects and symptoms	Not classified Based on available data, the classification criteria are not met.		

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general Not classified.

2-Butanone, O,O',O''-(methylsilylidyne)trioxime (22984-54-9)		
EC50 Daphnia 1	120 mg/l (Exposure time: 48h - Species: Daphnia magna)	
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)		
LC50 fish 1	597 mg/l (Species: Danio rerio)	
EC50 Daphnia 1	81 mg/l	
ErC50 (algae)	8,8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)	
NOEC chronic fish	344 mg/l	
NOEC chronic crustacea	35 mg/l	
NOEC chronic algae	3,1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)	
DibutyItin dilaurate (77-58-7)		
EC50 Daphnia 1	0,463 mg/l (Daphnia magna)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
CV-1143		
Persistence and degradability	Not established.	
Dibutyltin dilaurate (77-58-7)		
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
CV-1143		
Bioaccumulative potential	Not established.	
DibutyItin dilaurate (77-58-7)		
Log Pow	4,44	
12.4. Mobility in soil		
No additional information availab	le	

## 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations	<ul> <li>Dispose of contents/container in accordance with local, regional, national, and international regulations.</li> </ul>
Additional information	Container may remain hazardous when empty. Continue to observe all precautions.
Ecology - waste materials	Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN <b>14.1. UN number</b> Not regulated for transport <b>14.2. UN proper shipping name</b> Not applicable
14.3. Transport hazard class(es)
Not applicable 14.4. Packing group
Not applicable
14.5. Environmental hazards
Other information No supplementary information available.
14.6. Special precautions for user
14.6.1. Overland transport
No additional information available
14.6.2. Transport by sea No additional information available
14.6.3. Air transport
No additional information available
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes:

Section	Section Header	Change	Date Changed
2	Hazards identification	Removed DSD/DPD information.	19/02/2018
3	Composition/information on ingredients	Removed not classified components and components below cutoffs.	19/02/2018
evision date ata sources	19/02/2 Accord	2018 Jing to Regulation (EC) No. 1907	7/2006 (REACH) with its

amendment Regulation (EU) 2015/830

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1C	
Skin Sens. 1	Sensitisation — Skin, Category 1	
Skin Sens. 1B	Sensitisation — Skin, category 1B	
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H341	Suspected of causing genetic defects	
H360	May damage fertility or the unborn child	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



# Silicone Sales & Services UK - Ireland - Benelux

© 2019 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

# tel: +44 (0) 1494 446610

## web: https://www.silicone-polymers.com

## email: sales@silicone-polymers.co.uk

