Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/01/2021 Date of issue: 23/09/2014





Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Product Name Synonyms Mixture CF1-3710-2 Part A Flurosilicone Foam

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture

For professional use only.

#### 1.2.2. Uses advised against

No additional information available **1.3. Details of the supplier of the safety data sheet** NuSil Technology Europe 1198 Avenue Maurice Donat Le Natura Bt. 2 06250 Mougins France +33 4 92 96 93 31 ehs@nusil.com www.nusil.com **1.4. Emergency telephone number** Emergency : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and number Maritime)

+(44)-870-8200418 +(353)-19014670

## SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Not classified Adverse physicochemical, human health and environmental effects No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable

#### 2.3. Other Hazards

Other hazards not contributing to the classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 3.2. Mixture

5.2. MIXIOE			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quartz*	(CAS No) 14808-60-7 (EC no) 238-878-4	< 10	Carc. 1 A, H350 STOT SE 3, H335 STOT RE 1, H372

\*Finely divided Quartz dust has caused cancer and lung disease in workers that inhale it over an extended period of time. Since this product is in a liquid form, the Quartz dust is not able to become airborne and cannot be inhaled. Thus, the hazards usually associated with Quartz dust are not applicable to this product.

Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms a	nd effects, both acute and delayed
Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	Prolonged exposure may cause irritation.
Symptoms/effects after skin contact	Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	May cause slight irritation to eyes.
Symptoms/effects after ingestion	Ingestion may cause adverse effects.
Chronic symptoms	None expected under normal conditions of use.
1.2 Indication of any immodiate	modical attention and special treatment needed

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media Suitable extinguishing media Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical. Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard Not considered flammable but may burn at high temperatures. Explosion hazard Product is not explosive. Reactivity Hazardous reactions will not occur under normal conditions. 5.3. Advice for firefighters Precautionary measures fire Exercise caution when fighting any chemical fire.

Firefighting instructions	Use water spray or fog for cooling exposed containers.
Protection during firefighting	Do not enter fire area without proper protective equipment,
	including respiratory protection.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapour, mist, spray).
6.1.1.For non-emergency person	nel
Protective equipment	Use appropriate personal protective equipment (PPE).
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment Emergency procedures	Equip cleanup crew with proper protection. Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.
6.2. Environmental precautions	
Prevent entry to sewers and public v	vaters.
4.2 Motheds and material for a	ontainmont and cleaning up

#### Methods and material for containment and cleaning up 63

Contain any spills with dikes or absorbents to prevent migration and
entry into sewers or streams.
Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapours, mist, spray. Handle in accordance with good industrial hygiene and safety Hygiene measures procedures. 7.2. Conditions for safe storage, including any incompatibilities Technical measures Comply with applicable regulations. Storage conditions Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Strong acids, strong bases, strong oxidizers. Incompatible materials

#### 7.3. Specific end use(s)

For extrusion, transfer and compression molding and calendaring. For professional use only.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Quartz (14808-60-7)		
Austria	MAK (mg/m³)	0,15 mg/m³ (yearly average, valid till 12/31/2013-alveolar dust, respirable fraction)
11/01/2021	EN (English)	3/9

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Belgium	Limit value (mg/m³)	0,1 mg/m³ (alveolar dust)
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,07 mg/m³ (respirable fraction)
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	0,1 mg/m³ 0,1 mg/m³ (regulated under Quartz sand-respirable dust)
France	VME (mg/m³)	0,1 mg/m³ (restrictive limit-alveolar fraction)
USA ACGIH	ACGIH TWA (mg/m³)	0,025 mg/m³ (respirable fraction)
Spain	VLA-ED (mg/m³)	0,05 mg/m³ (reclassified IARC group 2, to group 1-respirable fraction)
Switzerland	VME (mg/m³)	0,15 mg/m³ (respirable dust)
Switzerland	OEL chemical category (CH)	Category C1 carcinogen
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,075 mg/m³ (respirable dust)
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³ (respirable)
United Kingdom	WEL STEL (mg/m³)	0,3 mg/m³ (calculated-respirable)
Czech Republic	Expoziční limity (PEL) (mg/m³)	0,1 mg/m³ (dust)
Denmark	Grænseværdie (langvarig) (mg/m³)	0,3 mg/m³ (total) 0,1 mg/m³ (respirable)
Estonia	OEL TWA (mg/m³)	0,1 mg/m³ (respirable dust)
Finland	HTP-arvo (8h) (mg/m³)	0,05 mg/m³ (respirable)
Hungary	AK-érték	0,15 mg/m³ (respirable)
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³ (respirable dust)
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³ (calculated-respirable dust
Lithuania	IPRV (mg/m³)	0,1 mg/m³ (Silicon dioxide variation- respirable fraction)
Norway	Grenseverdier (AN) (mg/m³)	0,3 mg/m <sup>3</sup> (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-toto dust) 0,1 mg/m <sup>3</sup> (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula- respirable dust)
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-toto dust) 0,1 mg/m <sup>3</sup> (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula- respirable dust)
Norway	OEL chemical category (NO)	Carcinogen
Poland	NDS (mg/m³)	2 mg/m <sup>3</sup> (>50% free crystalline silica- inhalable fraction) 0,3 mg/m <sup>3</sup> (>50% free crystalline silica- respirable fraction) 4,0 mg/m <sup>3</sup> (2% to 50% free crystalline silica-inhalable fraction) 1,0 mg/m <sup>3</sup> (2% to 50% free crystalline silica-respirable fraction)
Romania	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup> (respirable fraction, dust)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Quartz (14808-60-7)		
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (in Cristobalite or Tridymite- total aerosol)
Slovenia	OEL TWA (mg/m³)	0,15 mg/m³ (respirable fraction)
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³ (respirable dust)
Sweden	OEL chemical category (SE)	Carcinogen
Portugal	OEL TWA (mg/m³)	0,025 mg/m³ (respirable fraction)
Portugal	OEL chemical category (PT)	A2 - Suspected Human Carcinogen

#### 8.2. Exposure controls

Appropriate engineering controls

Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal protective equipment



Materials for protective clothing Hand protection Eye protection Skin and body protection Respiratory protection Chemically resistant materials and fabrics. Wear protective gloves. Chemical safety goggles. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels

are not known wear approved respiratory protection.

When using, do not eat, drink or smoke.

Other information

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pale Tan
Odour	: Odourless
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >135 °C (275 °F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative Density	: >1 (Water=1)
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

Oxidising properties Explosive limits : No data available

: No data available

#### 9.2. Other information

< 1 %

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

VOC content

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity	Not classified
Quartz (14808-60-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure	Not classified Not classified Not classified Not classified Not classified : Not classified : Not classified : Not classified
Aspiration hazard Potential adverse human health effects and symptoms	Not classified Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general

Not classified.

#### 12.2. Persistence and degradability

CF1-3710-2 Part A	
Persistence and degradability No	t established.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.3. Bioaccumulative potential

CF1-3710-2 Part A	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information availab	ble
12.5. Results of PBT and vPvB a	ssessment
No additional information availab	ble
12.6. Other adverse effects	

Other information

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal
recommendations
Ecology - waste materials

Dispose of contents/container in accordance with local, regional, national, and international regulations. Avoid release to the environment.

## **SECTION 14: Transport information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated for t	ransport			
14.2. UN proper s	hipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport ho	ızard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmen	tal hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations** Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances EN (English)

VOC content

<1%

#### 15.1.2. **National regulations**

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

#### Indication of changes:

Section	Section Header	Change	Date Changed
1	Identification of the substance/mixture and of the company/undertaking	Modified	11/01/2021
2	Hazards identification	Modified	11/01/2021
3	Composition/information on ingredients	Modified	11/01/2021

Date of Preparation or Latest Revision

11/01/2021

Data sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Full text of H- and EUH-statements:

Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

#### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Indu ADN – European Agreement Concerning the Internatio Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the Internatio Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulatio 1272/2008 COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Inventory of Existing Commercial C Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	onal Carriage of onal Carriage of on (EC) No hemical	MARPOL - International Convention for the Prevention of Pollution NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP - National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH - Potential Hydrogen REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals RID - Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit TA-Luft - Technische Anleitung zur Reinhaltung der Luft
11/01/2021	EN (English)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

FU - European Union ErC50 - EC50 in Terms of Reduction Growth Rate GHS - Globally Harmonized System of Classification and Labeling of Chemicals IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV - Indicative Occupational Exposure Limit Value LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

TEL TRK – Technical Guidance Concentrations ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 -Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC - Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE - Valeur Limite D'exposition VME - Valeur Limite De Movenne Exposition vPvB - Verv Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

NuSil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 11/01/2021 Date of issue: 23/09/2014





Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

 Product form
 Mixture

 Product Name
 CF1-3710-2 Part B

 Synonyms
 Flurosilicone Foam

 1.2. Relevant identified uses of the substance or mixture and uses advised against

 1.2.1. Relevant identified uses

 Use of the substance/mixture

 For professional use only.

 1.2.2. Uses advised against

 No additional information available

 1.3. Details of the supplier of the safety data sheet

 NuSil Technology Europe

1198 Avenue Maurice Donat Le Natura Bt. 2 06250 Mougins France +33 4 92 96 93 31 ehs@nusil.com

<u>www.nusil.com</u>

#### 1.4. Emergency telephone number

Emergency number Iephone number

800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)
+(44)-870-8200418
+(353)-19014670

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Not classified
Adverse physicochemical, human health and environmental effects No additional information available
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable
2.3. Other Hazards Other hazards not contributing to the classification
Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quartz*	(CAS No) 14808-60-7 (EC no) 238-878-4	< 10	Carc. 1 A, H350 STOT SE 3, H335 STOT RE 1, H372
Glass, oxide, chemicals	(CAS No) 65997-17-3 (EC no) 266-046-0	< 10	Not classified
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS No) 68037-59-2	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

\*Finely divided Quartz dust has caused cancer and lung disease in workers that inhale it over an extended period of time. Since this product is in a liquid form, the Quartz dust is not able to become airborne and cannot be inhaled. Thus, the hazards usually associated with Quartz dust are not applicable to this product.

Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	nd effects, both acute and delayed
Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	Prolonged exposure may cause irritation.
Symptoms/effects after skin contact	Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	May cause slight irritation to eyes.
Symptoms/effects after ingestion	Ingestion may cause adverse effects.
Chronic symptoms	None expected under normal conditions of use.
4.3. Indication of any immediate	medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media	Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
Unsuitable extinguishing media	Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture		
Fire hazard	Not considered flammable but may burn at high temperatures.	
Explosion hazard	Product is not explosive.	
Reactivity	Hazardous reactions will not occur under normal conditions.	
5.3. Advice for firefighters		
Precautionary measures fire	Exercise caution when fighting any chemical fire.	
Firefighting instructions	Use water spray or fog for cooling exposed containers.	
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.	

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

o.i. reisonal piecaonons, piolec	and energency procedures
General measures	Avoid prolonged contact with eyes, skin and clothing. Avoid
	breathing (vapour, mist, spray).
6.1.1.For non-emergency personn	el
Protective equipment	Use appropriate personal protective equipment (PPE).
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.
4.2 Environmental procautions	

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	Contain any spills with dikes or absorbents to prevent migration and
	entry into sewers or streams.
Methods for cleaning up	Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact
	competent authorities after a spill.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapours, mist, spray.
Hygiene measures	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures	Comply with applicable regulations.
Storage conditions	Keep container closed when not in use. Store in a dry, cool place.
	Keep/Store away from direct sunlight, extremely high or low
	temperatures and incompatible materials.

Strong acids, strong bases, strong oxidizers.

#### Incompatible materials 7.3. Specific end use(s)

For extrusion, transfer and compression molding and calendaring. For professional use only.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Quartz (14808-60-7)			
Austria	MAK (mg/m³)	0,15 mg/m³ (yearly average, valid till 12/31/2013-alveolar dust, respirable fraction)	
Belgium	Limit value (mg/m³)	0,1 mg/m³ (alveolar dust)	
Bulgaria	OEL TWA (mg/m <sup>3</sup> ) 0,07 mg/m <sup>3</sup> (respirable fract		
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	0,1 mg/m³ 0,1 mg/m³ (regulated under Quartz sand-respirable dust)	
France	VME (mg/m³)	0,1 mg/m³ (restrictive limit-alveolar fraction)	
USA ACGIH	ACGIH TWA (mg/m³)	0,025 mg/m³ (respirable fraction)	
Spain	VLA-ED (mg/m³)	0,05 mg/m <sup>3</sup> (reclassified IARC group 2A to group 1-respirable fraction)	
Switzerland	VME (mg/m³)	0,15 mg/m³ (respirable dust)	
Switzerland	OEL chemical category (CH)	Category C1 carcinogen	
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,075 mg/m³ (respirable dust)	
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³ (respirable)	
United Kingdom	WEL STEL (mg/m³)	0,3 mg/m³ (calculated-respirable)	
Czech Republic	Expoziční limity (PEL) (mg/m³)	0,1 mg/m³ (dust)	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,3 mg/m³ (total) 0,1 mg/m³ (respirable)	
Estonia	OEL TWA (mg/m³)	0,1 mg/m³ (respirable dust)	
Finland	HTP-arvo (8h) (mg/m³)	0,05 mg/m³ (respirable)	
Hungary	AK-érték	0,15 mg/m³ (respirable)	
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³ (respirable dust)	
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³ (calculated-respirable du	
Lithuania	IPRV (mg/m³)	0,1 mg/m³ (Silicon dioxide variation- respirable fraction)	
Norway	Grenseverdier (AN) (mg/m³)	0,3 mg/m <sup>3</sup> (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-total dust) 0,1 mg/m <sup>3</sup> (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula- respirable dust)	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	<ul> <li>0,3 mg/m³ (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-total dust)</li> <li>0,1 mg/m³ (Dust containing .alpha Quartz, Cristobalite and/or Tridymite is evaluated by summation formula- respirable dust)</li> </ul>	
Norway	OEL chemical category (NO)	Carcinogen	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Poland	NDS (mg/m³)	2 mg/m <sup>3</sup> (>50% free crystalline silica- inhalable fraction) 0,3 mg/m <sup>3</sup> (>50% free crystalline silica- respirable fraction) 4,0 mg/m <sup>3</sup> (2% to 50% free crystalline silica-inhalable fraction) 1,0 mg/m <sup>3</sup> (2% to 50% free crystalline silica-respirable fraction)
Romania	OEL TWA (mg/m³)	0,1 mg/m³ (respirable fraction, dust)
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (in Cristobalite or Tridymite- total aerosol)
Slovenia	OEL TWA (mg/m³)	0,15 mg/m³ (respirable fraction)
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³ (respirable dust)
Sweden	OEL chemical category (SE)	Carcinogen
Portugal	OEL TWA (mg/m³)	0,025 mg/m³ (respirable fraction)
Portugal	OEL chemical category (PT)	A2 - Suspected Human Carcinogen
Glass, oxide, chemic	als (65997-17-3)	
Belgium	Limit value (mg/m³)	10 mg/m³ (dust and fiber)

## Appropriate engineering controls

Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles.

Personal protective equipment



Materials for protective clothing	Chemically resistant materials and fabrics.
Hand protection	Wear protective gloves.
Eye protection	Chemical safety goggles.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other information	When using, do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Pale Tan
Odour	: Odourless
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >135 °C (275 °F)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	0 1 1 1 1
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative Density	: >1 (Water=1)
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content <	1 %

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

#### 10.2. Chemical stability

Stable at normal conditions.

#### 10.3. Possibility of hazardous reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

#### 10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

#### 10.5. Incompatible materials

Water, alcohols, acids, bases, strong oxidizing agents, catalystic metals, metallic compounds.

#### 10.6. Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity	Not classified	
Quartz (14808-60-7)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	> 5000 mg/kg	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure	Not classified Not classified Not classified Not classified Not classified : Not classified : Not classified : Not classified	
Aspiration hazard	Not classified	
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.	
11/01/2021	EN (English)	6/

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general

Not classified.

#### 12.2. Persistence and degradability

CF1-3710-2 Part B	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
CF1-3710-2 Part B	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecology - waste materials Dispose of contents/container in accordance with local, regional, national, and international regulations. Avoid release to the environment.

## **SECTION 14: Transport information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for t	ransport			
14.2. UN proper s	hipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport ho	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment:	Dangerous for the environment:	Dangerous for the environment:	Dangerous for the environment:	Dangerous for the environment:
No	No Marine pollutant: No	No	No	No

#### 14.6. Special precautions for user

No additional information available

#### **14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code** Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances VOC content

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

#### Indication of changes:

Section	Section Header	Change	Date Changed
1	Identification of the substance/mixture and of the company/undertaking	Modified	11/01/2021
2	Hazards identification	Modified	11/01/2021
3	Composition/information on ingredients	Modified	11/01/2021
10	Stability and reactivity	Modified	11/01/2021

Date of Preparation or Latest Revision Data sources

11/01/2021

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Full text of H- and EUH-statements:

Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

#### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways MARPOL - International Convention for the Prevention of Pollution NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe

EN (English)

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NuSil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



## Silicone Sales & Services UK - Ireland - Benelux

© 2022 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

## tel: +44 (0) 1494 446610

## web: https://www.silicone-polymers.com

## email: sales@silicone-polymers.co.uk

