XL-112





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: Date of issue:

 Revision date:
 Date of issue:
 Version: 2.0

 03/02/2017
 06/08/2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Substance
Substance name XL-112
CAS No : 68037-59-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

1.4. Emergency telephone number

Emergency: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and

number Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335

Full text of classification categories and H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS07

Signal word (CLP) Warning

Hazard statements (CLP) H315 - Causes skin irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

Precautionary statements (CLP) P261 - Avoid breathing mist, spray, vapours

P264 - Wash hands thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, protective gloves, protective clothing

P302+P352 - IF ON SKIN: Wash with plenty of water

P304+P340 - IF INHALED: Remove person to fresh air and keep

comfortable for breathing

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell P321 - Specific treatment (see SECTION 4 on this SDS)

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before

P403+P233 - Store in a well-ventilated place. Keep container tightly

closed

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations

2.3. Other Hazards

Unknown hazards to the aquatic

environment (CLP)

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS No) 68037-59-2	>90	Skin Irrit. 2, H315 Eye Irrit. 2, H319
			STOT SE 3, H335

Full text of H-statements: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general If medical advice is needed, have product container or label at

hand.

First-aid measures after inhalation If inhaled, remove to fresh air and keep at rest in a position

comfortable for breathing.

First-aid measures after skin

contact

Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash

contaminated clothing before reuse.

First-aid measures after eye

contact

Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical

attention if irritation develops or persists.

First-aid measures after ingestion Do not induce vomiting. Seek immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries Causes eye irritation. Causes skin irritation. Irritation of respiratory

Symptoms/injuries after inhalation

Symptoms/injuries after skin

contact

Inhalation of fumes or vapours may cause respiratory irritation.

Causes skin irritation.

XL-122

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Symptoms/injuries after eye

contact

Causes eye irritation.

Symptoms/injuries after ingestion Ingestion is likely to be harmful or have adverse effects.

4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media For large fire: Alcohol-resistant foam. Universal-type foam. For small

fire: Water spray. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may

spread fire. Water or foam may cause frothing.

5.2. Special hazards arising from the substance or mixture

Fire hazard Not considered flammable but will burn at high temperatures. .

> Under conditions of fire this material may produce: Carbon oxides (CO, CO2). Silicon oxides. Low molecular weight hydrocarbon

fragments.

Explosion hazard Product is not explosive.

Reactivity Stable at ambient temperature and under normal conditions of use.

5.3. Advice for firefighters

Precautionary measures fire Under fire conditions, hazardous fumes will be present.

Firefighting instructions Do not breathe fumes from fires or vapours from decomposition.

Exercise caution when fighting any chemical fire.

Protection during firefighting Use normal individual fire protective equipment. Use self-contained

breathing apparatus when fighting fire in an enclosed area.

Other information Do not use a solid water stream as it may scatter and spread fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment Wear suitable protective clothing, gloves and eye/face protection. **Emergency procedures**

Contain any spills with dikes or absorbents to prevent migration and

entry into sewers or streams.

6.1.2. For emergency responders

Emergency procedures

Protective equipment Wear suitable protective clothing, gloves and eye/face protection.

If possible, stop flow of product. Contain any spills with dikes or

absorbents to prevent migration and entry into sewers or streams.

6.2. Environmental precautions

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and material for containment and cleaning up

For containment Absorb and/or contain spill with inert material, then place in suitable

container.

Clean up any spills as soon as possible, using an absorbent material Methods for cleaning up

to collect it. Collect absorbed material and place into a sealed,

labelled container for proper disposal.

6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see section 13.

03/02/2017 3/7 processed

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when Any proposed use of this product in elevated-temperature processes

should be thoroughly evaluated to assure that safe operating

conditions are established and maintained.

Precautions for safe handling Use appropriate personal protective equipment when handling and

observe good personal hygiene measures after handling. Avoid

contact with skin and eyes. Do not breathe vapours.

Hygiene measures Always wash your hands immediately after handling this product,

and once again before leaving the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Keep cool. Protect from sunlight.

Storage conditions Store in a dry, cool place. Keep container tightly closed. Store in

original container.

Incompatible materials Reacts with (strong) oxidizers.

Storage area Store away from heat.

Special rules on packaging Keep container closed when not in use.

7.3. Specific end use(s) For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas.

Emergency eye wash fountains should be available in the

immediate vicinity of any potential exposure.

Personal protective equipment Gloves. Safety glasses. Protective clothing. Insufficient ventilation:

wear respiratory protection.









Materials for protective clothing Chemically resistant materials and fabrics.

Hand protection Nitrile rubber (NBR) /. Vinyl gloves.

Eye protection Safety glasses.

Skin and body protection Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour : Odorless.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

XL-122

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

 $> 93^{\circ} (200^{\circ}F)$ Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Specific gravity : <1 (water=1)Solubility : Water: Insoluble Partition coefficient: n-octanol/water : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Partition coefficient: n-octanol/water : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Stable at standard temperature and pressure.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours.

10.5. Incompatible materials

Avoid strong oxidizers.

10.6. Hazardous decomposition products

Under conditions of fire this material may produce: Carbon oxides (CO, CO2). Silicon oxides. Low molecular weight hydrocarbon fragments. May produce explosive hydrogen gas on contact with incompatibilities or upon thermal decomposition.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Not classified

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
Not classified
Not classified
Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose of contents/container in accordance with licensed

collector's sorting instructions.

Sewage disposal Do not empty into drains; dispose of this material and its container in

recommendations a safe way.

Waste disposal recommendations Dispose of waste material in accordance with all local, regional,

national, and international regulations.

Additional information Dispose of empty container in accordance with all local regulations.

Recycle or recondition if possible.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

XL-112 is not on the REACH Candidate List Contains no substance on the REACH candidate list XL-112 is not on the REACH Annex XIV List Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Section Header	Change	Date Changed
1.3	Details of the supplier of the safety data sheet	Modified	03/02/2017
2	Hazards identification	Removed DSD/DPD information.	03/02/2017
3	Composition/information on ingredients	Removed DSD/DPD information.	03/02/2017

Data sources

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Revision Date: 03/02/2017

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil EU GHS SDS



Silicone Sales & Services UK - Ireland - Benelux

© 2019 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

